

**BEE LOGO
(COLOR)**



- PMS COATED**
- PMS 109 C
 - PMS 1245 C
 - C=50, M=40, Y=40, K=100 (or K=100)
 - PMS Cool Grey 6 C
 - C=0, M=0, Y=0, K=0



- PROCESS**
- M=12, Y=100
 - C=3, M=30, Y=100, K=20
 - C=50, M=40, Y=40, K=100 (or K=100)
 - K=35
 - C=0, M=0, Y=0, K=0



- PMS UNCOATED**
- PMS 108 U
 - PMS 7550 U
 - C=50, M=40, Y=40, K=100 (or K=100)
 - PMS Cool Grey 6 U
 - C=0, M=0, Y=0, K=0

**BEE LOGO
(2 OR 3 COLOR)**



- PMS COATED**
- PMS 109 C
 - C=50, M=40, Y=40, K=100 (or K=100)
 - C=0, M=0, Y=0, K=0






- PROCESS**
- M=12, Y=100
 - C=50, M=40, Y=40, K=100 (or K=100)
 - C=0, M=0, Y=0, K=0



- PMS UNCOATED**
- PMS 108 U
 - C=50, M=40, Y=40, K=100 (or K=100)
 - C=0, M=0, Y=0, K=0

**BEE LOGO WITH SCAD
(COLOR)**



- PMS COATED**
- PMS 109 C
 - PMS 1245 C
 - C=50, M=40, Y=40, K=100 (or K=100)
 - PMS Cool Grey 6 C
 - C=0, M=0, Y=0, K=0

- PROCESS**
- M=12, Y=100
 - C=3, M=30, Y=100, K=20
 - C=50, M=40, Y=40, K=100 (or K=100)
 - K=35
 - C=0, M=0, Y=0, K=0

- PMS UNCOATED**
- PMS 108 U
 - PMS 7550 U
 - C=50, M=40, Y=40, K=100 (or K=100)
 - PMS Cool Grey 6 U
 - C=0, M=0, Y=0, K=0

**BEE LOGO
(2 OR 3 COLOR)**



- PMS COATED**
- PMS 109 C
 - C=50, M=40, Y=40, K=100 (or K=100)
 - C=0, M=0, Y=0, K=0

- PROCESS**
- M=12, Y=100
 - C=50, M=40, Y=40, K=100 (or K=100)
 - C=0, M=0, Y=0, K=0

- PMS UNCOATED**
- PMS 108 U
 - C=50, M=40, Y=40, K=100 (or K=100)
 - C=0, M=0, Y=0, K=0

**BEE LOGO
(SILVER AND BLACK)**



PMS COATED

- C=50, M=40, Y=40, K=100 (or K=100)
- PMS Cool Grey 6 C
- C=0, M=0, Y=0, K=0



PROCESS

- C=50, M=40, Y=40, K=100 (or K=100)
- K=35
- C=0, M=0, Y=0, K=0



PMS UNCOATED

- C=50, M=40, Y=40, K=100 (or K=100)
- PMS Cool Grey 6 U
- C=0, M=0, Y=0, K=0



PMS METALLIC COATED

- C=50, M=40, Y=40, K=100 (or K=100)
- PMS 877 Metallic Silver
- C=0, M=0, Y=0, K=0

**BEE LOGO
(BLACK AND WHITE, 1 OR 2 COLOR)**



PMS COATED

- C=50, M=40, Y=40, K=100 (or K=100)
- C=0, M=0, Y=0, K=0

**BEE LOGOWITH SCAD
(SILVER AND BLACK)**



PMS COATED

■ C=50, M=40, Y=40, K=100 (or K=100)

■ PMS Cool Grey 6 C

□ C=0, M=0, Y=0, K=0



PROCESS

■ C=50, M=40, Y=40, K=100 (or K=100)

■ K=35

□ C=0, M=0, Y=0, K=0



PMS UNCOATED

■ C=50, M=40, Y=40, K=100 (or K=100)

■ PMS Cool Grey 6 U

□ C=0, M=0, Y=0, K=0



PMS METALLIC COATED

■ C=50, M=40, Y=40, K=100 (or K=100)

■ PMS 877 Metallic Silver

□ C=0, M=0, Y=0, K=0

**BEE LOGO WITH SCAD
(BLACK AND WHITE, 1 OR 2 COLOR)**



PMS COATED, PROCESS, PMS UNCOATED

■ C=50, M=40, Y=40, K=100 (or K=100)

□ C=0, M=0, Y=0, K=0

**BEE LOGO KNOCKOUT
(COLOR)**



PMS COATED

- PMS 109 C
- PMS 1245 C
- C=50, M=40, Y=40, K=100 (or K=100)
- PMS Cool Grey 6 C
- C=0, M=0, Y=0, K=0



PROCESS

- M=12, Y=100
- C=3, M=30, Y=100, K=20
- C=50, M=40, Y=40, K=100 (or K=100)
- K=35
- C=0, M=0, Y=0, K=0



PMS UNCOATED

- PMS 108 U
- PMS 7550 U
- C=50, M=40, Y=40, K=100 (or K=100)
- PMS Cool Grey 6 U
- C=0, M=0, Y=0, K=0

**BEE LOGO KNOCKOUT
(2 OR 3 COLOR)**



PMS COATED

- PMS 109 C
- C=50, M=40, Y=40, K=100 (or K=100)
- C=0, M=0, Y=0, K=0



PROCESS

- M=12, Y=100
- C=50, M=40, Y=40, K=100 (or K=100)
- C=0, M=0, Y=0, K=0



PMS UNCOATED

- PMS 108 U
- C=50, M=40, Y=40, K=100 (or K=100)
- C=0, M=0, Y=0, K=0

**BEE LOGO WITH SCAD KNOCKOUT
(COLOR)**



PMS COATED

- PMS 109 C
- PMS 1245 C
- C=50, M=40, Y=40, K=100 (or K=100)
- PMS Cool Grey 6 C
- C=0, M=0, Y=0, K=0



PROCESS

- M=12, Y=100
- C=3, M=30, Y=100, K=20
- C=50, M=40, Y=40, K=100 (or K=100)
- K=35
- C=0, M=0, Y=0, K=0



PMS UNCOATED

- PMS 108 U
- PMS 7550 U
- C=50, M=40, Y=40, K=100 (or K=100)
- PMS Cool Grey 6 U
- C=0, M=0, Y=0, K=0

**BEE LOGO WITH SCAD KNOCKOUT
(2 OR 3 COLOR)**



PMS COATED

- PMS 109 C
- C=50, M=40, Y=40, K=100 (or K=100)
- C=0, M=0, Y=0, K=0



PROCESS

- M=12, Y=100
- C=50, M=40, Y=40, K=100 (or K=100)
- C=0, M=0, Y=0, K=0



PMS UNCOATED

- PMS 108 U
- C=50, M=40, Y=40, K=100 (or K=100)
- C=0, M=0, Y=0, K=0

**BEE LOGO KNOCKOUT
(SILVER AND BLACK)**



PMS COATED

□ C=50, M=40, Y=40, K=100 (or K=100)

■ PMS Cool Grey 6 C

■ C=0, M=0, Y=0, K=0



PROCESS

□ C=50, M=40, Y=40, K=100 (or K=100)

■ K=35

■ C=0, M=0, Y=0, K=0



PMS UNCOATED

□ C=50, M=40, Y=40, K=100 (or K=100)

■ PMS Cool Grey 6 U

■ C=0, M=0, Y=0, K=0



PMS METALLIC COATED

□ C=50, M=40, Y=40, K=100 (or K=100)

■ PMS 877 Metallic Silver C

■ C=0, M=0, Y=0, K=0

**BEE LOGO KNOCKOUT
(1 OR 2 COLOR, 1 OR 2 COLOR)**



PMS COATED

□ C=50, M=40, Y=40, K=100 (or K=100)

■ C=0, M=0, Y=0, K=0

**BEE LOGO WITH SCAD KNOCKOUT
(SILVER AND BLACK)**



PMS COATED

- C=50, M=40, Y=40, K=100 (or K=100)
- PMS Cool Grey 6 C
- C=0, M=0, Y=0, K=0



PROCESS

- C=50, M=40, Y=40, K=100 (or K=100)
- K=35
- C=0, M=0, Y=0, K=0



PMS UNCOATED

- C=50, M=40, Y=40, K=100 (or K=100)
- PMS Cool Grey 6 U
- C=0, M=0, Y=0, K=0



PMS METALLIC COATED

- C=50, M=40, Y=40, K=100 (or K=100)
- PMS 877 Metallic Silver C
- C=0, M=0, Y=0, K=0

**BEE LOGO WITH SCAD KNOCKOUT
(1 OR 2 COLOR, 1 OR 2 COLOR)**



PMS COATED

- C=50, M=40, Y=40, K=100 (or K=100)
- C=0, M=0, Y=0, K=0