

Add: 8/F, Dongquan Building, Meilong RD., Minzhi Town, Baoan District, Shenzhen, China 518000
Website: www.conswaytech.com Email: info@conswaytech.com Tel: 0086-755-2303 3317

I: CONSWAY LED Moving Sign Introduction

1. 4/8 or 16 class brightness
2. Display 1,2,3 or 4 lines of text
3. Auto ON/OFF and time scheduling
4. Able to show text, graphics and animation
5. Wide range voltage, DC9-30V or AC110V/220V
6. All to run, auto action, auto color and auto center
7. Build in clock, temperature and brightness sensor
8. Multi language: supports any language, font and size
9. Fonts in block, decorative, upper/lower, slim/wide,double
10. Easy edit software, Max 512 frames stored in flash memory
11. Easily programmable through RS232/485,TCP/IP communication
12. Housing material: aluminium with black color and organic glass panel
13. 25 actions: snow, spray, twinkle, rotate, scroll, star burst, wipe and etc

II: Note of CONSWAY LED Moving Sign Naming

1. "CSW" means CONSWAY
2. "F" means pixel pitch is 7.62mm
3. "D" means pixel pitch is 4.75mm
4. "S" means indoor single Red module
5. "A" means indoor Red and Green module
6. "R" means semi-outdoor single Red lamp
7. "B" means semi-outdoor single Blue lamp
8. "Y" means semi-outdoor single Yellow lamp
9. "W" means semi-outdoor single White lamp
10. "RG" means semi-outdoor Red and Green lamp
11. "APG" means semi-outdoor Red and Pure green lamp

III: CONSWAY LED Moving Sign Packing Parts

1. LED moving sign: 1 pc
2. Power supply adapter: 1 pc
3. 232 communication cable: 1 pc
4. Remote keyboard controller: 1 pc
5. Professional installation stand: 2 pcs
6. CD-ROM with software and User Manual: 1 pc
7. LED moving sign standard carton box packing picture:



IV: Series of CONSWAY LED Moving Sign

F7 Series:

Model	Color	Pixels	Max font	Max letters	Size(L*H*T/mm)	Brightness	FOB Shenzhen/\$
CSW-F760A	RGY	7*60	2"	10*1	502*89*40	indoor	66.00
CSW-F780A	RGY	7*80	2"	15*1	655*89*40	indoor	79.00
CSW-F795A	RGY	7*95	2"	16*1	769*89*40	indoor	88.00
CSW-F7120A	RGY	7*120	2"	20*1	958*89*40	indoor	115.00
CSW-F7160A	RGY	7*160	2"	26*1	1260*89*40	indoor	125.00
CSW-F7240A	RGY	7*240	2"	40*1	1888*89*40	indoor	230.00
CSW-F760R	R	7*60	2"	10*1	502*89*40	semioutdoor	55.00
CSW-F780R	R	7*80	2"	15*1	655*89*40	semioutdoor	65.00
CSW-F795R	R	7*95	2"	16*1	769*89*40	semioutdoor	70.00
CSW-F7120R	R	7*120	2"	20*1	958*89*40	semioutdoor	81.00
CSW-F760B	B	7*60	2"	10*1	502*89*40	outdoor	63.00
CSW-F780B	B	7*80	2"	15*1	655*89*40	outdoor	76.00
CSW-F795B	B	7*95	2"	16*1	769*89*40	outdoor	84.00
CSW-F7120B	B	7*120	2"	20*1	958*89*40	outdoor	130.00

Remark: F7 series can display 1 line of text; customization for longer size is available

F760A (RGY) pictures:



F16 series:

Model	Color	Pixels	Max font	Max letters	Size(L*H*T/mm)	Brightness	FOB Shenzhen/\$
CSW-F1664A	RGY	16*64	4"	4*1	548*160*48	indoor	88.00
CSW-F1696A	RGY	16*96	4"	6*1	792*160*48	indoor	111.00
CSW-F16128A	RGY	16*128	4"	8*1	1036*160*48	indoor	138.00
CSW-F16160A	RGY	16*160	4"	10*1	1280*160*48	indoor	166.00
CSW-F16192A	RGY	16*192	4"	12*1	1523*160*48	indoor	192.00
CSW-F16224A	RGY	16*224	4"	14*1	1767*160*48	indoor	217.00
CSW-F16256A	RGY	16*256	4"	16*1	2010*160*48	indoor	250.00
CSW-F1664S	R	16*64	4"	4*1	548*160*48	indoor	77.00
CSW-F1696S	R	16*96	4"	6*1	792*160*48	indoor	96.00
CSW-F16128S	R	16*128	4"	8*1	1036*160*48	indoor	117.00
CSW-F16160S	R	16*160	4"	10*1	1280*160*48	indoor	138.00
CSW-F16192S	R	16*192	4"	12*1	1523*160*48	indoor	160.00
CSW-F16224S	R	16*224	4"	14*1	1767*160*48	indoor	180.00
CSW-F16256S	R	16*256	4"	16*1	2010*160*48	indoor	207.00
CSW-F1664R	R	16*64	4"	4*1	548*160*48	semioutdoor	78.00
CSW-F1696R	R	16*96	4"	6*1	792*160*48	semioutdoor	105.00
CSW-F16128R	R	16*128	4"	8*1	1036*160*48	semioutdoor	122.00
CSW-F16160R	R	16*160	4"	10*1	1280*160*48	semioutdoor	148.00
CSW-F16192R	R	16*192	4"	12*1	1523*160*48	semioutdoor	165.00

CSW-F16224R	R	16*224	4"	14*1	1767*160*48	semioutdoor	190.00
CSW-F16256R	R	16*256	4"	16*1	2010*160*48	semioutdoor	209.00
CSW-F1664B	B	16*64	4"	4*1	548*160*48	semioutdoor	97.00
CSW-F1696B	B	16*96	4"	6*1	792*160*48	semioutdoor	135.00
CSW-F16128B	B	16*128	4"	8*1	1036*160*48	semioutdoor	160.00
CSW-F16160B	B	16*160	4"	10*1	1280*160*48	semioutdoor	195.00
CSW-F16192B	B	16*192	4"	12*1	1523*160*48	semioutdoor	225.00
CSW-F16224B	B	16*224	4"	14*1	1767*160*48	semioutdoor	259.00
CSW-F16256B	B	16*256	4"	16*1	2010*160*48	semioutdoor	285.00
CSW-F1664W	W	16*64	4"	4*1	548*160*48	semioutdoor	105.00
CSW-F1696W	W	16*96	4"	6*1	792*160*48	semioutdoor	142.00
CSW-F16128W	W	16*128	4"	8*1	1036*160*48	semioutdoor	175.00
CSW-F16160W	W	16*160	4"	10*1	1280*160*48	semioutdoor	215.00
CSW-F16192W	W	16*192	4"	12*1	1523*160*48	semioutdoor	245.00
CSW-F16224W	W	16*224	4"	14*1	1767*160*48	semioutdoor	281.00
CSW-F16256W	W	16*256	4"	16*1	2010*160*48	semioutdoor	310.00
CSW-F1664RG	RGY	16*64	4"	4*1	548*160*48	semioutdoor	124.00
CSW-F1696RG	RGY	16*96	4"	6*1	792*160*48	semioutdoor	166.00
CSW-F16128RG	RGY	16*128	4"	8*1	1036*160*48	semioutdoor	212.00
CSW-F16160RG	RGY	16*160	4"	10*1	1280*160*48	semioutdoor	258.00
CSW-F16192RG	RGY	16*192	4"	12*1	1523*160*48	semioutdoor	303.00
CSW-F16224RG	RGY	16*224	4"	14*1	1767*160*48	semioutdoor	347.00
CSW-F16256RG	RGY	16*256	4"	16*1	2010*160*48	semioutdoor	398.00
CSW-F1664APG	RGY	16*64	4"	4*1	548*160*48	semioutdoor	106.00
CSW-F1696APG	RGY	16*96	4"	6*1	792*160*48	semioutdoor	138.00
CSW-F16128APG	RGY	16*128	4"	8*1	1036*160*48	semioutdoor	174.00
CSW-F16160APG	RGY	16*160	4"	10*1	1280*160*48	semioutdoor	210.00
CSW-F16192APG	RGY	16*192	4"	12*1	1523*160*48	semioutdoor	246.00
CSW-F16224APG	RGY	16*224	4"	14*1	1767*160*48	semioutdoor	280.00
CSW-F16256APG	RGY	16*256	4"	16*1	2010*160*48	semioutdoor	320.00
Remark: F16 series can display 1 or 2 lines of text; customized size is available							

F24 series:

Model	Color	Pixels	Max font	Max letters	Size(L*H*T/mm)	Brightness	FOB Shenzhen/\$
CSW-F2464A	RGY	24*64	6"	4*3	568*263*90	indoor	130.00
CSW-F2496A	RGY	24*96	6"	6*2	777*228*70	indoor	168.00
CSW-F24128A	RGY	24*128	6"	8*3	1055*263*90	indoor	197.00
CSW-F24160A	RGY	24*160	6"	10*3	1300*263*90	indoor	244.00
CSW-F24192A	RGY	24*192	6"	12*3	1543*263*90	indoor	278.00
CSW-F24224A	RGY	24*224	6"	14*3	1787*263*90	indoor	320.00
CSW-F24256A	RGY	24*256	6"	16*3	2031*263*90	indoor	342.00
CSW-F2464S	R	24*64	6"	4*3	568*263*90	indoor	113.00
CSW-F2496S	R	24*96	6"	6*2	777*228*70	indoor	135.00
CSW-F24128S	R	24*128	6"	8*3	1055*263*90	indoor	164.00
CSW-F24160S	R	24*160	6"	10*3	1300*263*90	indoor	201.00
CSW-F24192S	R	24*192	6"	12*3	1543*263*90	indoor	230.00
CSW-F24224S	R	24*224	6"	14*3	1787*263*90	indoor	263.00
CSW-F24256S	R	24*256	6"	16*3	2031*263*90	indoor	277.00
CSW-F2464R	R	24*64	6"	4*3	568*263*90	semioutdoor	143.00
CSW-F2496R	R	24*96	6"	6*2	777*228*70	semioutdoor	186.00
CSW-F24128R	R	24*128	6"	8*3	1055*263*90	semioutdoor	222.00
CSW-F24160R	R	24*160	6"	10*3	1300*263*90	semioutdoor	275.00
CSW-F24192R	R	24*192	6"	12*3	1543*263*90	semioutdoor	318.00

CSW-F24224R	R	24*224	6"	14*3	1787*263*90	semioutdoor	366.00
CSW-F24256R	R	24*256	6"	16*3	2031*263*90	semioutdoor	395.00
CSW-F2464B	B	24*64	6"	4*3	568*263*90	semioutdoor	187.00
CSW-F2496B	B	24*96	6"	6*2	777*228*70	semioutdoor	234.00
CSW-F24128B	B	24*128	6"	8*3	1055*263*90	semioutdoor	288.00
CSW-F24160B	B	24*160	6"	10*3	1300*263*90	semioutdoor	356.00
CSW-F24192B	B	24*192	6"	12*3	1543*263*90	semioutdoor	415.00
CSW-F24224B	B	24*224	6"	14*3	1787*263*90	semioutdoor	479.00
CSW-F24256B	B	24*256	6"	16*3	2031*263*90	semioutdoor	525.00
CSW-F2464RG	RGY	24*64	6"	4*3	568*263*90	semioutdoor	197.00
CSW-F2496RG	RGY	24*96	6"	6*2	777*228*70	semioutdoor	249.00
CSW-F24128RG	RGY	24*128	6"	8*3	1055*263*90	semioutdoor	304.00
CSW-F24160RG	RGY	24*160	6"	10*3	1300*263*90	semioutdoor	378.00
CSW-F24192RG	RGY	24*192	6"	12*3	1543*263*90	semioutdoor	440.00
CSW-F24224RG	RGY	24*224	6"	14*3	1787*263*90	semioutdoor	510.00
CSW-F24256RG	RGY	24*256	6"	16*3	2031*263*90	semioutdoor	558.00
CSW-F2464APG	RGY	24*64	6"	4*3	568*263*90	semioutdoor	170.00
CSW-F2496APG	RGY	24*96	6"	6*2	777*228*70	semioutdoor	208.00
CSW-F24224APG	RGY	24*224	6"	14*3	1787*263*90	semioutdoor	415.00

Remark: F24 series can display 1, 2 or 3 lines of text; customized size is available

F32 series:

Model	Color	Pixels	Max font	Max letters	Size(L*H*T/mm)	Brightness	FOB Shenzhen/\$
CSW-F3264A	RGY	32*64	8"	4*2	568*324*90	indoor	148.00
CSW-F3296A	RGY	32*96	8"	6*2	777*289*70	indoor	206.00
CSW-F32128A	RGY	32*128	8"	8*2	1055*324*90	indoor	242.00
CSW-F32160A	RGY	32*160	8"	10*2	1300*324*90	indoor	297.00
CSW-F32192A	RGY	32*192	8"	12*2	1543*324*90	indoor	345.00
CSW-F32224A	RGY	32*224	8"	14*2	1787*324*90	indoor	408.00
CSW-F32256A	RGY	32*256	8"	16*2	2031*324*90	indoor	443.00
CSW-F32320A	RGY	32*320	8"	20*2	2478*289*70	indoor	495.00
CSW-F3264S	R	32*64	8"	4*2	568*324*90	indoor	127.00
CSW-F3296S	R	32*96	8"	6*2	777*289*70	indoor	173.00
CSW-F32128S	R	32*128	8"	8*2	1055*324*90	indoor	199.00
CSW-F32160S	R	32*160	8"	10*2	1300*324*90	indoor	242.00
CSW-F32192S	R	32*192	8"	12*2	1543*324*90	indoor	282.00
CSW-F32224S	R	32*224	8"	14*2	1787*324*90	indoor	325.00
CSW-F32256S	R	32*256	8"	16*2	2031*324*90	indoor	342.00
CSW-F32320S	R	32*320	8"	20*2	2478*289*70	indoor	388.00
CSW-F3264R	R	32*64	8"	4*2	568*324*90	semioutdoor	166.00
CSW-F3296R	R	32*96	8"	6*2	777*289*70	semioutdoor	230.00
CSW-F32128R	R	32*128	8"	8*2	1055*324*90	semioutdoor	275.00
CSW-F32160R	R	32*160	8"	10*2	1300*324*90	semioutdoor	309.00
CSW-F32192R	R	32*192	8"	12*2	1543*324*90	semioutdoor	385.00
CSW-F32224R	R	32*224	8"	14*2	1787*324*90	semioutdoor	435.00
CSW-F32256R	R	32*256	8"	16*2	2031*324*90	semioutdoor	476.00
CSW-F3264B	B	32*64	8"	4*2	568*324*90	semioutdoor	209.00
CSW-F3296B	B	32*96	8"	6*2	777*289*70	semioutdoor	295.00
CSW-F32128B	B	32*128	8"	8*2	1055*324*90	semioutdoor	453.00
CSW-F32192B	B	32*192	8"	12*2	1543*324*90	semioutdoor	659.00
CSW-F32256B	B	32*256	8"	16*2	2031*324*90	semioutdoor	635.00
CSW-F3264RG	RGY	32*64	8"	4*2	568*324*90	semioutdoor	220.00
CSW-F3296RG	RGY	32*96	8"	6*2	777*289*70	semioutdoor	233.00

CSW-F32128RG	RGY	32*128	8"	8*2	1055*324*90	semioutdoor	358.00
CSW-F32160RG	RGY	32*160	8"	10*2	1300*324*90	semioutdoor	440.00
CSW-F32192RG	RGY	32*192	8"	12*2	1543*324*90	semioutdoor	520.00
CSW-F32224RG	RGY	32*224	8"	14*2	1787*324*90	semioutdoor	610.00
CSW-F32256RG	RGY	32*256	8"	16*2	2031*324*90	semioutdoor	675.00
CSW-F3264APG	RGY	32*64	8"	4*2	568*324*90	semioutdoor	182.00
CSW-F3296APG	RGY	32*96	8"	6*2	777*289*70	semioutdoor	250.00
CSW-F32128APG	RGY	32*128	8"	8*2	1055*324*90	semioutdoor	300.00
CSW-F32192APG	RGY	32*192	8"	12*2	1543*324*90	semioutdoor	320.00
CSW-F32224APG	RGY	32*224	8"	14*2	1787*324*90	semioutdoor	495.00

Remark: F32 series can display 1,2,3 or 4 lines of text; customized size is available

F32256RG pictures:



D16 series:

Model	Color	Pixels	Max font	Max letters	Size(L*H*T/mm)	Brightness	FOB Shenzhen/\$
CSW-D1680A	RGY	16*80	1.5"	5*1	420*120*40	indoor	72.00
CSW-D16128A	RGY	16*128	1.5"	8*1	648*120*40	indoor	98.00
CSW-D16160A	RGY	16*160	1.5"	10*1	800*120*40	indoor	110.00
CSW-D16240A	RGY	16*240	1.5"	15*1	1180*120*40	indoor	147.00
CSW-D1680S	R	16*80	1.5"	5*1	420*120*40	indoor	63.00
CSW-D16128S	R	16*128	1.5"	8*1	648*120*40	indoor	83.00
CSW-D16160S	R	16*160	1.5"	10*1	800*120*40	indoor	90.00
CSW-D16240S	R	16*240	1.5"	15*1	1180*120*40	indoor	119.00

Remark: D16 series can display 1 or 2 lines of text; customized size is available

D32 series:

Model	Color	Pixels	Max font	Max letters	Size(L*H*T/mm)	Brightness	FOB Shenzhen/\$
CSW-D3264A	RGY	32*64	1.5"	4*2	380*232*40	indoor	114.00
CSW-D32128A	RGY	32*128	1.5"	8*2	688*232*40	indoor	175.00
CSW-D32192A	RGY	32*192	1.5"	12*2	992*232*40	indoor	222.00
CSW-D32256A	RGY	32*256	1.5"	16*2	1296*232*40	indoor	275.00
CSW-D3264S	R	32*64	1.5"	4*2	380*232*40	indoor	100.00
CSW-D32128S	R	32*128	1.5"	8*2	688*232*40	indoor	154.00
CSW-D32192S	R	32*192	1.5"	12*2	992*232*40	indoor	190.00
CSW-D32256S	R	32*256	1.5"	16*2	1296*232*40	indoor	222.00

Remark: D32 series can display 1,2,3 or 4 lines of text; customized size is available

V: More options for CONSWAY customers as below:

1. Pixel pitches: Ph10mm, Ph12mm, Ph16mm, Ph20mm, Ph25mm and Ph31.25mm available
2. Pixel resolution: Different Horizontal and Vertical pixels with different system available
3. LED colors: Single color, double color and tricolor(Red, Green and Yellow) available
4. Scans: 1/16 scan, 1/8 scan, 1/4 scan, 1/2 scan and static current available