

SITE PLAN **Scale:** 1/16" = 1'-0"

SITE WORK KEY NOTES

1 EXISTING DUMPSTER ENCLOSURE

2 EXISTING WHEELSTOP (3) EXISTING A.D.A. SIGNAGE

(4) EXISTING CONCRETE SIDEWALK TO BE PROTECTED THROUGHOUT CONSTRUCTION 5 EXISTING PARKING LOT DIRECTIONAL SIGNAGE

6 EXISTING CONCRETE PAVEMENT TO BE PROTECTED DURING CONSTRUCTION

(7) EXISTING CURB TO BE PROTECTED THROUGHOUT CONSTRUCTION 8 EXISTING BUILDING TO BE PROTECTED THROUGHOUT CONSTRUCTION

9 EXISTING ASPHALT PAVEMENT TO BE PROTECTED THROUGHOUT CONSTRUCTION

(10) EXISTING LANDSCAPING TO REMAIN

(11) EXISTING BUCKET SIGN

(12) EXISTING PYLON SIGN

(13) EXISTING SPEAKER POST

14 EXISTING PREVIEW BOARD 15 EXISTING MENU BOARD

(16) EXISTING CLEARANCE BAR

KFC SIGNAGE BY OTHERS -UNDER SEPARATE PERMIT

SCOPE OF WORK MATRIX

REMOVE / MAKE SAFE / RELOCATE EXISTING AWNING LIGHT CIRCUITS REMOVE EXISTING WALL SCONCE FIXTURES - INSTALL WATER PROOF COVERS AS NEEDED

REMOVE STRIPED PYRAMID ROOF ELEMENT AND FRAMING

ECTRICAL FOR LIGHT FIXTURE ABOVE ENTRYDOORS

IE NONE FXIST INSTALL NEW LIGHT PACK / EMERGENCY FIXTURE ABOVE ENTRY DOORS INSTALL SURFACE MOUNT CONDUIT AND BOXES FOR TOWER & PARAPET ARM LIGHT FIXTURES INSTALL ARM LIGHT FIXTURES ON PARAPET

PRESSURE WASH / PATCH / PAINT EXTERIOR OF BUILDING INSTALL BLOCKING & PREFINISHED METAL (WHITE) FASCIA TO TOWER TOP COLLAR AS INDICATED

PAINT "WORLD FAMOUS CHICKEN" LETTERS & STARS (STENCIL)

ISCONNECT LIGHT BANDS

Exterior Branding Elements INSTALL NEW WINDOW & DOOR AWNINGS - RAIN PANS AT DOOR AWNINGS (PROVIDE ALL BLOCKING

NSTALL DRIVE THRU CANOPYW/VINYL LETTERS
(PROVIDE ELECTRICAL AS NEEDED)

NSTALL NEW STRIPED BANNER ELEMENT ON KFC TO PAINT (2) WALL GRAPHICS (STAMPS & TEXT STENCIL)

RE-FACE 2 SIDED STREET PYLON SIGN W/ FLAT FACE, IF REQUIRED OR DAMAGE E-FACE 2 SIDED DIRECTIONAL SIGNS, IF REQUIRED OR DAMAGED

REPLACE READER BOARD INSERT WITH "REAL MEALS TO GO" TEXT

Investigate pylon sign replacement with the city could be an issue, paint 5 exterior light poles and relamp with LED, install arm lights all around the building

REPLACE SILLS W/ NEW 1/2" WHITE SOLID SURFACE @ WINDOWS & VESTIBULE OPENINGS, IF NEEDE REMOVE TABLETOP STEEL POSTS, AS INDICATED INSTALL TEMPORARYPLASTIC ZIP WALL DUST BARRIER - NO FRAMED WALL

REMOVE EXISTING WINDOW VALANCES (ACCENT DÉCOR)
REMOVE EXISTING ARTWORK PACKAGE: SIGN, GRAPHICS, ARTWORK-PROPERLYDISPOSE REMOVE 1/2 HT WING WALLS AS INDICATED (I.E BY PEPSI AND VESTIBULE)

CLAD 1/2 HT. DMIDER WALL(S) AND PROVIDE NEW 1/2" SOLID SURFACE CAP AS INDICATED REMOVE EXISTING SERVICE COUNTER AND BEVERAGE TOPS - LOWER TO ADA IF REQUIRED REMOVE, STORE & REINSTALL POS

(BYOTHERS, PAR)
REMOVE, STORE & REINSTALL PEPSI MACHINE (BYPEPSI VENDOR) UNINSTALL & RE-INSTALL ICE MAKER & ADD FOR ADAPTER - RECHARGE FREON REMOVE WALLPAPER, SKIM COAT AND PAINT WALLS ABOVE CHAIR RAIL (NOT REDFOCAL PANEL WALL)

REMOVE, STORE & REINSTALL AND RELOCATE PEPSI MACHINE (BY PEPSI VEND INSTALL NEW CHAIR RAIL

REMOVE AND REPLACE EXISTING PLAM WAISCOTING, PAINT P-6

" RUBBER FLOOR BASE AT SERVICE COUNTER, DIVIDER WALLS AND RED WA

NSTALL FRAMING/BLOCKING IN WINDOW OPENING WHERE COVERED BYRED FOCAL PANELS PAINT HARD SURFACE CEILINGS AND SOFFITS (WHITE) P-6 EMOVE EXISTING 2X4 FIXTURES AS INDICATED, REPLACE WITH NEW TILE AND GRID (FOR BUCKET & TRACK LT)

RE-LAMP EXISTING LIGHT FIXTURES WINEW LED LAMPS. CLEAN AND/OR INSTALL NEW 2X LIGHT FIXTURE LENS, IF NECESSARY INSTALL LIGHT FIXTURE TRACK AND PROVIDE ELECTRICAL, IF NEEDED

PAINT HOLLOW METAL RESTROOM DOOR FRAMES
RESTROOMS - PAINT HARD LID CEILING AND WALLS - STEAM CLEAN FLOOR TILE - RE-LAMP AND RE-LENSE LIGHT

REPLACE EXTERIOR BRANDED, PLASTIC DOOR PANELS W/ALUMINUM PANELS REPLACE/PATCH DAMAGED EXISTING DINING ROOM FLOOR TILE DUE TO REMOVAL OF EXISTING WALLS, ET INSTALL NEW FLOOR DRAIN/SINK FOR RELOCATED PEPSI MACHINE PEPSI/ICE MAKER - VERIFY IF FREON LINES ARE TIED TO RTU

nterior Branding Elements

INSTALL FAUX BEAMS AND BRACKETS IN FRONT & UNDER SERVICE COUNTER SOFFIT (ldx) INSTALL "QUOTE" WALL GRAPHIC NEAR ENTRY (VESTIBULE OR NEAR COUNTER)

INSTALL DRINK STATION FRONT PANEL(S), COUNTER PARTITION & BACK PANEL INSTALL SOLID SURFACE COUNTERTOP & COUNTER FACE PANEL/GRAPHICS

INSTALL TABLE HEIGHT CHAIRS INSTALL SINGLE & DOUBLE BOOTH SEATING INSTALL 60" ROUND "RED" TABLE W/ PEDESTAL BASE INSTALL TABLE HEIGHT CHAIRS W/ RED SEAT

INSTALL BAR HEIGHT CHAIR INSTALL BUCKET LIGHT AND CEILING RING ELEMENT INSTALL RED FOCAL WALL PANELING (WITH REVEALS), CROWN TRIM AND CHAIR RAIL(NOTE WALL LOCATION) INSTALL PREFINISHED WINDOW TRIM, CASING & SILLAT RED WALL WINDOWS

INSTALL RED FOCAL WALLART WORK INSTALL CHALK BOARD AND "GUARANTEE" FRAMED ART WORK INSTALL PROVIDE STORE HOURS SIGN ON GLASS ENTRYDOOR INSTALLADA, MAX. OCCUPANT, COLONEL'S OFFICE AND RESTROOM SIGNS

INSTALL FRP WALL PANELS AT ORDER AREA AND MENUBOARD BULKHEAD TO COVER WALL TILE INSTALL HR SIGNAGE / POSTER IN BACK OF HOUSE AS INDICATED IISC. INTERIOR SCOPE COMMENTS

Focal wall locations marked on footprint, see notes on footprint sketch, see notes provided by owner, remove pepsi counter and cap existing drain, pull counter forward and block counter side door,

New Ceiling/New Lighting REMOVE EXISTING SUSPENDED CEILING GRID SYSTEM - IF RUSTED OR DAMAGED

REMOVE EXISTING CEILING TILES REMOVE EXISTING LIGHT FIXTURES REMOVE EXISTING HVAC GRILLES, DIFFUSSERS REMOVE EXIST SIGNS AND EMERGENCY LIGHTS REMOVE EXISTING DROP SOFFIT

INSTALL NEW SUSPENDED CEILING GRID SYSTEM PAINT EXISTING CEILING GRID BY DRYFALI INSTALL CEILING TILES / PADS INSTALL NEW HVAC DIFFUSERS AND GRILLES

INSTALL LED RECESSED LIGHT FIXTURES IN GYPSUM BOARD CEILING @ SERVICE COUNTER AREA WITH NEW LED CONNECT ELECTRICAL FOR NEW LIGHT FIXTURES INSTALL NEW TRACK SYSTEM ACCENT LIGHTING PAINT EXISTING SPEAKERS IN CEILING, WHITE INSTALL EMERGENCY LIGHTS AND CONNECT ELECTRICAL

INSTALL LED RECESSED LIGHT FIXTURES IN SUSPENDED CEILING TILE SYSTEM

INSTALL EXIT SIGNS AND CONNECT ELECTRICAL DINING ROOM FLOOR TILE REMOVE EXISTING FLOOR TILE REMOVE EXISTING TILE BASE

INSTALL FLOOR TILE SYSTEM INSTALL RUBBER BASE, 6"H (CHARCOAL INSTALL 4" (CHARCOAL) RUBBER BASE AT SERVICE COUNTER, PEPSI STATION, & RED WALL

REMOVE EXISTING TOILET ACCESSORIES (GRAB BARS, MIRRORS, PAPER &SOAP DISPENSERS, ETC.) REMOVE EXISTING PAPER TOWEL DISPENSER REMOVE EXISTING ELECTRICAL HAND DRYER REMOVE CEILING IF SUSPENDED CEILING TILES USED, HARD CEILING TO REMAIN REMOVE EXISTING FLOOR AND BASE TILE REMOVE EMERGENCY LIGHTING

New Restroom Refresh

REMOVE EXISTING PLUMBING FIXTURES


REMOVE EXISTING LIGHT FIXTURES REMOVE EXISTING FLOOR DRAIN COVER - INSTALL NEW INSTALL NEW DRYWALL HARD LID CEILING INSTALL EMERGENCY LIGHT AND CONNECT ELECTRICAL INSTALL NEW LED RECESSED LIGHT FIXTURE

INSTALL HAND DRYER AND CONNECT ELECTRICAL INSTALL CEMENT BOARD SUBSTRATE AT WALL BASE TO ALIGN W/ EXIST. DRYWALL SURFACE INSTALL FLOOR TILE INSTALL RUBBER BASE - 6" H (CHARCOAL) INSTALL FRP PANELS OVER EXISTING WALL TILE (3/4 OR FULL HT) - PAINT ABO INSTALL CHAIR RAIL PROFILE TRIM AT TOP OF TILE (3/4 HT) OR AS CROWN MOULD (FULL HT)


MISC. NEW RESTROOM SCOPE COMMENTS Owner might do bathroom remodel himself

RIVE THRU PACKAGE

KEY PLAN



VICINITY MAP



PROJECT SUMMARY

PROJECT NAME: PROJECT ADDRESS: LEGAL JURISDICTION: BUILDING CODE: BUILDING FOOTPRINT AREA: RENOVATION AREA: SEATING: TYPE OF CONSTRUCTION:

OCCUPANCY:

YES

MICHIGAN BUILDING CODE 2,673 SF 1,321 SF EXISTING: 54, PROPOSED: 54 A2-ASSEMBLY

CITY OF KALAMAZOO

5822 SOUTH WESTNEDGE AVE, KALAMAZOO, MI

PROJECT DESCRIPTION: THIS PROJECT CONSISTS OF AN INTERIOR RENOVATION OF THE DINING AREA FOR AN EXISTING KFC RESTAURANT. THE KITCHEN AND DRIVE THROUGH AREAS WILL REMAIN IN OPERATION DURING THE REMODELING PROCESS. EXTERIOR IMAGE UPGRADE WILL CONSIST OF NEW EXTERIOR BRANDING & SIGNAGE ELEMENTS AND NEW PAINT FINISHES PER NEW PROTOTYPE.

PROJECT GENERAL NOTES

A. IT IS INTENDED THAT A COMPLETE OCCUPIABLE BUILDING PROJECT IS PROVIDED

B. DO NOT SCALE THESE DRAWINGS. VERIFY ALL DIMENSIONS AND CONDITIONS IN THE FIELD. ANY DISCREPANCIES IN THESE DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT AND KFC CM PRIOR TO STARTING

PROJECT DIRECTORY

CORPORATE

KFC Corporation Contact: 1900 Colonel Sanders Lane Will Nash Louisville, KY 40213 502-874-6229 **ARCHITECT** Interplan LLC

604 Courtland St., Suite 100 Gregory Faucher Orlando, FL 32804 407-645-5008

DRAWING INDEX

A-2.0 EXTERIOR ELEVATIONS

REVISIONS: 01

GENERAL G-1.0 GENERAL INFORMATION **DEMOLITION** D-1.0 DEMOLITION: FLOOR PLAN & EXTERIOR ELEVATIONS ARCHITECTURAL A-1.0 FLOOR PLAN & FINISH SCHEDULE A-1.1 INTERIOR ELEVATIONS

INTERPLANE

ARCHITECTURE ENGINEERING INTERIOR DESIGN PROJECT MANAGEMENT

> 604 COURTLAND STREET SUITE 100 ORLANDO, FLORIDA 32804 PH 407.645.5008 FX 407.629.9124

IP. PROJECT NO #: 2016.6063

REVISION: Mark Date 04<u>-13-16</u> <u>JC</u>


PROJECT TITLE PERMIT PACKAGE K-30SERIES 6000 TO AMERICAN SHOWMAN

ISR BASE 5822 SOUTH WESTNEDGE AVE, KALAMAZOO, MI COMMISSION NO. C110002

04-13-16 ISSUE DATE SHEET TITLE **GENERAL**

INFORMATION

THIS SPACE INTENTIONALLY LEFT BLANK



EXISTING TO REMAIN

EXISTING TO BE REMOVED

NO WORK IN THIS AREA

DEMOLITION FLOOR PLAN
Scale: 1/4" = 1'-0"

PLAN NORTH

FLOOR PLAN KEY NOTES

- 1 REMOVE EXISTING MENUBOARD & SAVE FOR REUSE
- REMOVE ALL EXISTING FIXTURES, BOOTHS, TABLETOPS & CHAIRS IN DINING ROOM EXISTING TABLE STEEL POST TO REMAIN UNLESS NOTED OTHERWISE.
- 3 EXISTING ICE MACHINE AND BEVERAGE DISPENSER TO BE REMOVED BY VENDORS
- 4 REMOVE CHAIR RAIL AND WALLCOVERING ABOVE (TILE BASE AND WAINSCOTING TO REMAIN, UNLESS NOTED OTHERWISE).
- 5 EXISTING SECURITY MONITOR TO REMAIN, PROTECT AS NECESSARY
- 6 REMOVE ALL INTERIOR WALL SIGNS, DECOR ELEMENTS & ARTWORK AND DISPOSE OF IN A RESPONSIBLE MANNER
- 7 TEMPORARY VISQUEEN DUST PARTITION. COORDINATE EXACT LOCATION IN FIELD WITH FRANCHISEE AND PROVIDE A TIGHT SEAL
- 8 EXISTING TABLE STEEL POST TO BE REMOVED
- 9 EXISTING UNDER-COUNTER SAFE TO REMAIN PROTECT FROM DUST
- 10 EXISTING POS, CASH DRAWER, CUP DISPENSER AND ALL HARDWARE TO BE REMOVED, SAVED AND SEALED IN A DUST FREE ENVIRONMENT

HALF HEIGHT WALL TO REMAIN. REMOVE EXISTING WALL CAP ONLY, EXISTING WALL PANELING TO REMAIN.

- 11) EXISTING FLOORING AND COVE BASE TO BE REMOVED.
- 12) REMOVE EXISTING HALF HEIGHT WALL.
- 13) REMOVE ALL QUEUING RAILS AND POSTS.
- (14) REMOVE EXISTING WINDOW SILL IF NOT WHITE.
- 15 EXISTING SERVICE COUNTER TO BE REMOVED.

REMOVE ALL PLUMBING FIXTURES AND ACCESSERIES, PREP EXISTING WALLS FOR NEW FINISHES.

GENERAL NOTES

- A. THE G.C. SHALL TAKE ALL NECESSARY PRECAUTIONS TO ENSURE THE SAFETY OF THE PUBLIC AND/OR WORKMEN ON THE JOB AND TO PREVENT ACCIDENTS OR INJURY TO ANY PERSON ON, ABOUT, OR ADJACENT TO THE PREMISES. THE G.C. SHALL COMPLY WITH ALL LAWS, ORDINANCES, CODES, RULES AND REGULATIONS RELATIVE TO SAFETY AND THE PREVENTION OF ACCIDENTS.
- B. THESE DEMOLITION PLANS ARE TO BE USED IN CONJUNCTION WITH THE ENTIRE SET OF WORKING DRAWINGS. DO NOT REMOVE OR DEMOLISH ANYTHING WITHOUT VERIFYING AND COORDINATING WITH ALL GENERAL TRADES AS TO HOW THEY RELATE TO THE OVERALL
- C. GENERAL CONTRACTOR SHALL PAY FOR ALL REQUIRED DEMOLITION
- PERMIT FEES AND OBTAIN ALL APPLICABLE DEMOLITION PERMITS.

 D. GENERAL CONTRACTOR SHALL REMOVE ALL DEBRIS & EQUIPMENT
- DAILY DURING THE DEMOLITION WORK.

 E. GENERAL CONTRACTOR SHALL PATCH AND REPAIR ALL DAMAGED
- SURFACES AS OUTLINED IN THE DRAWINGS.

 GENERAL CONTRACTOR SHALL FIELD VERIFY ALL EXISTING SITE AND
- BUILDING CONDITIONS PRIOR TO CONSTRUCTION.
- G. ABANDONED PIPES SHALL BE CAPPED IN A MANNER TO CONCEAL WITHIN WALL, CEILING OR FLOOR.
- DEMOLITION MEANS AND METHODS ARE CONTRACTORS RESPONSIBILITY
- G. RESTROOMS TO BE AVAILABLE AND FUNCTIONING AT ALL TIMES FOR EMPLOYEES DURING RENOVATION

PROJECT TITLE
ON THE JOB AND TO

PROJECT TITLE
PERMIT PACKAGE

K-30SERIES 6000 TO AMERICAN SHOWMAN

REVISION:

INTERPLANE

PROJECT MANAGEMENT

604 COURTLAND STREET

FX 407.629.9124

SUITE 100 ORLANDO, FLORIDA 32804 PH 407.645.5008

IP. PROJECT NO #: 2016.6063

ARCHITECTURE

ENGINEERING INTERIOR DESIGN

ISR BASE 5822 SOUTH WESTNEDGE AVE, KALAMAZOO, MI

COMMISSION NO. C110002
ISSUE DATE 04-13-16

DEMOLITION FLOOR PLAN, CEILING PLAN,

& EXTERIOR ELEVATIONS

SHEET NO.


D-1.0

ELEVATION KEY NOTES


- 1 CAREFULLY REMOVE EXISTING PARAFLEX CUPOLA CAP, ALUMINUM FRAME & SKIRT. ALSO REMOVE CUPOLA LIGHT FIXTURE AND RETAIN CIRCUITS FOR RE-USE .
- 2 EXISTING SIGN CABINET TO REMAIN IN PLACE. REMOVE EXISTING ACRYLIC SIGN FACE (RETURN TO FRANCHISEE) DISCONNECT POWER & RETAIN CIRCUIT FOR NEW LIGHTING (ENTIRE SIGN CABINET TO BE REMOVED IF TOWER WALL IS FLUSH):
- 3 REMOVE EXISTING AWNING. PATCH AND REPAIR WALL AS NEEDED.

 BEMOVE AND DESTROY EXISTING LETTER SET ACRYLIC SIGNAGE FAC
- REMOVE AND DESTROY EXISTING LETTER SET ACRYLIC SIGNAGE FACE AND CABINET.
- 5 SALVAGE ADDRESS NUMBERS FOR RE-USE (IF EXISTING) .
- 6 REMOVE ALL EXISTING WALL-PACK LIGHTING OVER DINING ROOM
- 7 TOP OF TOWER WALL METAL COPING CAP TO BE REMOVED.


 8 EXISTING WOOD RAILING TO REMAIN.




3 - EXISTING DRIVE-THRU ELEVATION Scale: 1/8" = 1"-0"



2 - EXISTING FRONT ELEVATION Scale: 1/8" = 1"-0"



1 - EXISTING ENTRY ELEVATION Scale: 1/8" = 1'-0"



CLEAR GLASS MINI PENDANT BRUSHED NICKEL FINISH (LAMP INCLUDED)

15 WATT HORIZONTAL TRACK HEAD HI-CRI WHITE FINISH NARROW FLOOD BEAM

- 6 EXISTING CEILING RECEPTACLES TO REMAIN. REPLACE EXISTING FACE
- PLATES WITH NEW (WHITE)

7 NEW EXTERIOR AWNING / LOUVER, REFER TO EXTERIOR ELEVATIONS

- 13) NEW PENDANT LIGHTING CENTERED ABOVE TABLE
- 14 PAINT CEILING WHITE (P-6)SATIN FINISH
- (15) REPLACE EXISTING GRILLS AND DIFFUSERS

- 5 INSTALL NEW FLOOR TILE AND RUBBER BASE THROUGH OUT. PATCH CONCRETE BELOW FLOOR WHERE POSTS, RAILS AND WALLS ARE REMOVED
- 6 NEW BLOCKING IN WINDOW OPENING TO SUPPORT DECORATIVE

- 12) NEW WHITE CORIAN WINDOW SILL / WALL CAP IF NEEDED
- 13 INSTALL 4" RUBBER WALL BASE OVER NEW WALL PANELS

14 PREFINISHED ALUMINUM CORNER GUARDS TO MATCH NEW WALL

- W/EXIST. DRYWALL SURFACE.
- (20) NEW DECORATIVE CROWN BOARD AND ART RAIL. REFER TO INTERIOR ELEVATIONS.

ENERAL	NOTES -	LIGHTING	/ ELECTRICA	1

A. CONFIRM LIGHTING FIXTURE QUANTITIES WITH SUPPLIER

B. EMERGENCY AND STANDARD LIGHTING MARKED WITH "NL" SUBSCRIPT

SHALL OPERATE CONTINUOUSLY: PROVIDE <u>UNSWITCHED</u> HOT TO

- STANDARD AND EMERGENCY BALLASTS EMERGENCY LIGHTING NOT MARKED WITH "NL" SUBSCRIPT: PROVIDE UNSWITCHED CONSTANT HOT TO EMERGENCY BALLAST AND SWITCHED HOT TO STANDARD BALLAST
- D. CONTRACTOR SHALL FIELD VERIFY CEILING TYPE AND PROVIDE PROPER MOUNTING HARDWARE
- ALL LIGHT FIXTURES SHALL BE SUPPLIED WITH LAMPS
- ELECTRICAL CONTRACTOR SHALL VERIFY AVAILABLE CIRCUITS IN
- CONNECT LIGHTING CIRCUITS TO EXISTING LIGHTING CONTROL PANEL. COORDINATE CONTROL SEQUENCE AND TIME OF DAY SCHEDULING WITH FRANCHISEE

ELECTRICAL PANELS AND REUSE EXISTING CIRCUITS AS AVAILABLE

- H. EXISTING 2X4 AND 2X2 LIGHTING TO BE RE-LENSED AND RE-LAMPED
- REFER TO A2.0 FOR ADDITIONAL EXTERIOR LIGHTS NOT SHOWN ON
- ALL NEW LIGHTING TO BE COORDINATED WITH EXISTING MECHANICAL

K. EXISTING ELECTRICAL PANEL LOCATIONS & NEW CIRCUITS SHALL BE VERIFIED BY E.C. E.C. SHALL COORDINATE & VERIFY FINAL ELECTRICAL WITH LIGHTING / SIGNAGE SUPPLIERS

- PROVIDE ESCUTCHEON PLATES AND SEALANT AT ALL UTILITY PENETRATIONS OF WALLS, CEILINGS, AND FLOORS. DO NOT USE CAULK OR EXPANDING FOAM FOR SEALANT
- M. ALL WIRING TO BE PER NEC INSTALLATION REQUIREMENTS SIZED FOR 40% MAX FILL PER NEC
- N. RELOCATED DEVICES TO BE ROUTED IN FLEXIBLE METAL CONDUIT.
- O. PROVIDE NEW OR EXTEND EXISTING POWER/DATA/PHONE LINES FOR NEW MODIFIED LAYOUT. G.C./E.C. IS RESPONSIBLE FOR FIELD VERIFYING THE EXISTING ELECTRICAL CAPACITY AND CONFIRMING THAT THE NUMBER OF SPARES AT THE PANELS IS ADEQUATE FOR THE ADDITION/RELOCATION OF THE SERVICES SHOWN. G.C. TO NOTIFY KFC

MINKA LAVERY

AMERLUX

CONTECH

CONTECH

CONTECH

ACCUSERV

RAB

TCP

SATCO

TCP

W-120-FL-3000

LT2P

LT4P

LT8P

PRO05247-001

WPLED20Y

LED712VMR1630KNFL

S7431

43717 TCP

LED14P30D30KNFL

2' PIECE WHITE TRACK

4' PIECE WHITE TRACK

8' PIECE WHITE TRACK

EXTERIOR WALL PACK

7 WATT MR16 LED LAMP

WALL SCONCE UP/DOWN LIGHT

COMPACT FLUORESCENT LUMEN LAMP

14 WATT LED PAR30 LONG NECK 300K

T-1

TR-4

TR-8

M-3

D-2

F-1

AMPS

MEET THE NECESSARY REQUIREMENTS P. E.C. SHALL PROVIDE J-BOX FOR SIGNAGE BY SIGN VENDOR. FINAL CONNECTION TO BUILDING POWER BY E.C.

PM IF EITHER SERVICE OR NUMBER OF SPARES IS FOUND TO NOT

- Q. E.C. SHALL PROVIDE J-BOX FOR NEW EXTERIOR LIGHT FIXTURE. FINAL CONNECTION TO BUILDING POWER BY E.C.
- R. E.C. SHALL COORDINATE EXACT ROUTING OF ALL NEW AND RELOCATED CIRCUITS. FIELD VERIFY EXISTING CONDITIONS. ALL WORK AND WIRING PER NEC INSTALLATION REQUIREMENTS. ALL WORK TO BE CONCEALED. SURFACE MOUNT RACEWAYS ARE NOT PERMITTED

LIC	GHTING SCHI	EDULE			LIGHT	ING SCHE	DULE					
Ν	O. SUPPLIER/MANU	JF SKU.	DESCRIPTION	REMARKS	NO.	SUPPLIER/MANUF	SKU.		DESCRIPTION		REMARKS	
FIXTURE	S	-			2x2 RELAMP KIT	CREE	UR2-24-36L-35K-S-FD	(2) 2' LED LIGHTBARS WITH (1) LED	DRIVER 3500K			
)-1 CONTECH/TCF	RL38 / LED 14DR5630K95	6" INCANDESCENT DOWNLIGHT WITH 14 WATT TCP HI CRI 3000K TRIM		1x4 RELAMP KIT	CREE	TBD	(2) 4' LED LIGHTBARS WITH (1) LED	DRIVER 3500K			
	-2 CONTECH	LVR316S / CTR301-WHT-P	3" LOW VOLTAGE DOWNLIGHT WITH WHITE TRIM		2x4 RELAMP KIT	CREE	UR2-48-45L-35K-S-FD	(2) 4' LED LIGHTBARS WITH (1) LED	DRIVER 3500K			
E	E-1 AMERLUX	WAF1/BLDG MNT/WAF1/30/BLK	3000K LED FLOOD LIGHT WIDE ANGLE		DOWNLIGHTS	H SCHEDU	JI.F	TBD				
E	-2 AMERLUX	WAF1/BLDG MNT/BLK-24IN FL1/HWS/30/BLK	24" BRACKET FOR FOR E2 LIGHT 3000K LED FLOOD LIGHTS		MARK DESCRIPTION LOCATION		-G / CONTACT	MODEL #/COLOR REMARKS	MARK DESCRIPTION / LOCATION	MFG / CONTACT	MODEL #/COLOR	RE
F	-1 TECH	700TDSOCOP-M-08-R-B / 700TDMRD-3-T-B	SOCO PENDANT 8' RED CORD WITH BLACK MODERN SOCKET						1	SEAN MCELWEE		

		FINISH	SCHE	DULE								
	MARK	DESCRIPTION / LOCATION		MFG / CONTACT	MODEL #/COLOR	REMARKS	MARK	DESCRIPTION / LOCATION		MFG / CONTACT	MODEL #/COLOR	REM
	B-2	SERVICE COUNTER, DIVIDER WALLS, RED WALL	JOHNSONITE	SCOTT STERTMEYER P: (800) 899-8916 ext. 5759 C: (713) 254-9791 scott.stertmeyer@johnsonite.com	DDEDITMILLWORK WALLBASE MANDALAY 6" TOELESS 20 CHARCOAL		PL-4	KNEE WALL	LAB DESIGNS LAMINATE	SEAN MCELWEE SURFACE MATERIALS P: (440) 248-0000 C: (614) 327-2936 seanm@surfacematerials.com	WOOD LAMINATE COLLECTION BRUSHED COCOA W0090	HOR APP
POWER END FEEDS AND MINI		RED WALL		, ,	.375" W x 4.5" H AURA WATERBORNE INTERIOR PAINT	PRIME	SF-6	MENUBOARD BULKHEAD AND WALLS @ COUNTER	MARLITE	DAN EGBERS P: (330) 343-6621 C: (330) 260-7633 degbers@marlite.com	FRP PANELS LA PALOMA SYMETRIX 10' x 4' x .090' TILE RUNNING BOND PATTERN	
CONNECTORS AS REQUIRED	P-4	INTERIOR WALLS AND DOORS/FRAMES	BENJAMIN MOORE	DOROTHY HAZINSKI P: (800) 635-5147 ext. 1841 C: (330) 353-3850 dorothy.hazinski@benjaminmoore.com	LA PALOMA GRAY 1551 SATIN (526) - INTERIOR WALLS SEMI GLOSS (528) - DOOR AND	+ ORANGE PEEL FINISH	SS-2	WINDOW SILL KNEE WALL	DU PONT CORIAN	BOB ROSE OHIO VALLEY SUPPLY COMPANY P: (513) 681-8300	TERRA COLLECTION WHITE JASMINE	
REFER TO A-2.0 FOR FIXTURE CLRS					FRAMES 100% ACRYLIC HYBRID RESIN	FINISH			00111/114	C: (513) 582-2528 bob.rose@ovsco.com	1/2" THICK	
	P-6	INTERIOR PAINT	BENJAMIN MOORE	DOROTHY HAZINSKI P: (800) 635-5147 ext. 1841 C: (330) 353-3850 dorothy.hazinski@benjaminmoore.com	AURA WATERBORNE INTERIOR PAINT WEDDING VEIL 2125-70 SATIN 100% ACRYLIC HYBRID RESIN	SELF- PRIMING	T-1	FLOOR TILE	ATLAS CONCORDE SOLUTIONS	HARRY PHILLIPS & BOB NOVAK LOUISVILLE TILE DISTRIBUTORS P: (502) 452 2037 C: (502) 588-8474 hphillips@louisville-tile.com	HONEY LEGEND, MATTE FINISH, 8" x 24" 1/8" GROUT JOINTS	
										LESLIE LIKENS DALTILE	DALTILE VERANDA	

T-2 FLOOR TILE

DALTILE

P: (502) 968-0558

C: (502) 767-7839

13"X13" x 1/8 GROUT JOINTS



INTERPLANE

ENGINEERING

INTERIOR DESIGN PROJECT MANAGEMENT

604 COURTLAND STREET SUITE 100 ORLANDO, FLORIDA 32804 PH 407.645.5008 FX 407.629.9124

IP. PROJECT NO #: 2016.6063

REVISION:

Date


PROJECT TITLE PERMIT PACKAGE

K-30SERIES 6000 TO AMERICAN SHOWMAN

ISR BASE 5822 SOUTH WESTNEDGE AVE, KALAMAZOO, MI

COMMISSION NO. C110002 04-13-16

FLOOR PLAN & FINISH SCHEDULE



THIS SPACE INTENTIONALLY
LEFT BLANK

KFC

INTERPLANE

ARCHITECTURE ENGINEERING INTERIOR DESIGN PROJECT MANAGEMENT

604 COURTLAND STREET SUITE 100 ORLANDO, FLORIDA 32804 PH 407.645.5008 FX 407.629.9124

IP. PROJECT NO #: 2016.6063

REVISION:

ON: Date By 04<u>-13-16</u> <u>JC</u>

JECT TITLE

PROJECT TITLE
PERMIT PACKAGE
K-30SERIES 6000
TO AMERICAN SHOWMAN

ISR BASE
TH WESTNEDG


5822 SOUTH WESTNEDGE AVE, KALAMAZOO, MI COMMISSION NO. C110002


ISSUE DATE 04-13-16
SHEET TITLE

INTERIOR ELEVATIONS

HEET NO.

A-1.1







FINISH NOTES

- 1 NEW M2 EXTERIOR LIGHT SCONCES (INSTALLED ABOVE EXISTING CEILING @ EXISTING LOCATIONS)
- (2) PAINT WALL SURFACE BEHIND NEW AWNINGS
- 3 PAINT 4" WIDE BORDER WINDOW SURROUND AS INDICATED
- 4 EXISTING PARAPET COPING TO BE REPAIRED, SEALED AND PAINTED
- 5 EXISTING RAILING TO BE PAINTED SF-3
- 6 STENCIL PAINTED GRAPHIC ELEMENT 7 NEW EXTERIOR PAINT TREATMENT
- 8 EXISTING WINDOWS
- 9 EXISTING BOLLARD
- NEW PRE-FINISHED EXTERIOR LIGHT FIXTURE CENTERED ON WINDOW AND/OR GRAPHIC, OTHERWISE AS INDICATED IN ELEVATION. PATCH AND REPAIR ROOF MEMBRANE AT FIXTURE ATTACHMENT POINT
- (11) REINSTALL ADDRESS NUMBERS AFTER PAINTING
- NEW SIGNAGE ACCENT LIGHT FIXTURE, REFER TO LIGHT FIXTURE
- NEW PRE-FINISHED METAL LOUVERED AWNINGS (AWNINGS ABOVE DOORS TO HAVE RAIN DIVERTERS)
- 14 NEW DRIVE-THRU CANOPY
- (15) EXISTING ROOF ACCESS LADDER PAINTED TO MATCH ADJ. WALL
- 16) NEW KFC INDIVIDUAL LETTER FACES AND CABINET CANS.
- NEW METAL PANEL SYSTEM ATTACHED TO AND HELD OFF EXISTING TOWER. TOP OF PANELING TO ALIGN WITH BOTTOM OF EXISTING TOWER COPING.
- 18 PAINT EXISTING EXTERIOR DOOR AND FRAME
- 19 NEW EXTERIOR WALL LIGHT, M-3
- 20 EXISTING STOREFRONT 21 EQUALLY SPACED, ALTERNATING COLOR, VERTICAL STRIPES BETWEEN
- 22 PAINT EXISTING LIGHT BOXES
- 23 EXISTING ELECTRICAL PANELS
- (24) EXISTING WOOD RAILING

IMAGE COMPONENTS SCHEDULE

SIGNAGE						
TAG	ITEM DESCRIPTION					
 S1a	VINYL LOGO/GRAPHICS FOR TOWER PANEL - FULL HT.					
 S1b	VINYL LOGO/GRAPHICS FOR TOWER PANEL - HALF HT.					
 S2a	KFC CHANNEL LETTER FACE REPLACEMENT - 30" RED					
	KFC CHANNEL LETTER FACE REPLACEMENT - 24" RED					
	KFC CHANNEL LETTER FACE REPLACEMENT - 30" WHITE					
S2d	KFC CHANNEL LETTER FACE REPLACEMENT - 24" WHITE					
 S3a	KFC CHANNEL LETTERS - 30" RED					
 S3b	KFC CHANNEL LETTERS - 24" RED					
	KFC CHANNEL LETTERS - 30" WHITE					
S3d	KFC CHANNEL LETTERS - 24" WHITE					
S4a	"REAL MEALS TO GO" DIMENSIONAL LETTERS FOR 15' DT CANOPY					
S4b	"REAL MEALS TO GO" VINYL LETTERS FOR 8' DT CANOPY					
S5a	"WORLD FAMOUS CHICKEN" LETTERS - 16" DIMENSIONAL PIN MOUNT (V.I.F.)					
S5b	"WORLD FAMOUS CHICKEN" 16" LETTERS - PAINT (V.I.F.)					
S5c	"WORLD FAMOUS CHICKEN" 12" LETTERS - PAINT (V.I.F.)					
S5d	"WORLD FAMOUS CHICKEN" STACKED LETTERS-PAINT					
S6	"REAL MEALS" BUCKET SIGN					
S7	"REAL MEALS TO GO" BUCKET SIGN					
S8a	"HARD WAY" PAINT TEMPLATE - 57" ROUND					
S8b	"HARD WAY" PAINT TEMPLATE = 108" ROUND					
S8c	"HARD WAY" PAINT TEMPLATE = 114" ROUND					
S8d	"HARD WAY" PAINT TEMPLATE - HORIZONTAL (FULL)					
S8d	"HARD WAY" PAINT TEMPLATE – HORIZONTAL (MEDIUM)					
G9a	STORE HOURS - ENTRY					
G9b	STORE HOURS - DT WINDOW					
BUILDING E	XTERIOR ELEMENTS					
B1a	TOWER PANEL WITH LOGO AND GRAPHICS - FULL HEIGHT WITH EXTENDER					
B1b	TOWER PANEL WITH LOGO AND GRAPHICS - HALF HT.					
B3b	DT WINDOW CANOPY - 8' WIDE					
B5a	SHUTTERED AWNINGS - 6'-0" WIDE ,WHITE FOR A&W , RED FOR KFC					
B5b	SHUTTERED AWNINGS - 6'-4" WIDE WHITE PROVIDE RAIN DIVERTER ABOVE ENTRANCE DOOR.					
B5c	SHUTTERED AWNINGS - 7'-0" WIDE					
B5e	SHUTTERED AWNINGS – 6'-4" WHITE					
ВЗ	SHUTTERED AWNINGS - 3'-5" WIDE , WHITE , PROVIDE RAIN DIVERTER ABOVE ENTRANCE DOOR.					



INTERPLAN

ARCHITECTURE ENGINEERING INTERIOR DESIGN PROJECT MANAGEMENT

604 COURTLAND STREET SUITE 100 ORLANDO, FLORIDA 32804 PH 407.645.5008 FX 407.629.9124

IP. PROJECT NO #: 2016.6063

REVISION:

PROJECT TITLE PERMIT PACKAGE

K-30SERIES 6000 TO AMERICAN SHOWMAN

ISR BASE

5822 SOUTH WESTNEDGE AVE, KALAMAZOO, MI COMMISSION NO. C110002

04-13-16 SHEET TITLE **EXTERIOR**

ELEVATIONS