

GPD GROUP

Professional Corporation 520 S. MAIN STREET, SUIT 2531 AKRON, OH 44311 330.572.2100 FAX: 330.572.2102



	DATE	REMARKS
	07.19.22	Issued for Bid
2	09.09.22	NTP Comments

CONTRACT DATE: BUILDING TYPE: END. MED20 MARCH 2021 PLAN VERSION: BRAND DESIGNER: DICKSON SITE NUMBER: STORE NUMBER: PA/PM: DRAWN BY.: JOB NO.: 2020088.03

TACO BELL

18550 E. WARREN AVE., DETROIT, MI 48236



ENDEAVOR 2.0 SITE **ELECTRICAL PLAN**

ELECTRICAL	L SITE PLAN	- DETROIT	1/16" = 1'-0"
-------------------	-------------	-----------	---------------

8 NOT USED.

11 1" C. - (2) #8, #8 GND.

9 CLEARANCE BAR. REFER TO CIVIL DRAWINGS.

10 LED SITE LIGHTING, REFER TO CIVIL DRAWINGS, TYP. REFER TO DETAIL 12/C1.1.



- 2 REFER TO LIGHTING FIXTURE SCHEDULE ON E4.0 FOR ADDITIONAL INFORMATION ON LIGHTIN FIXTURES. (TYPICAL)
- DIGITAL MENU BOARD. REFER TO CONDUIT SCHEDULE FOR CONDUIT SIZE AND QUANTITY. PROVIDE (2) #8AWG., #8 GND. IN 1"C. REFER TO CIVIL DRAWINGS.
- 4 LED PYLON SIGN.

DATA

(1) 1"

(2) 1"

POWER

(1) 1"

(1) 1"

(1) 1"

CONDUIT SCHEDULE

DEVICE

DIRECTIONAL

MENUBOARD

SPEAKER POST

TB1 TB1

B-29 🖂 🖊 B-29

PROPOSED TACO BELL

PROPOSED —— TRANSFORMER

- UNDERGROUND ELECTRIC SERVICE TO UTILITY CO.
 TRANSFORMER. REFER TO CIVIL SHEETS FOR LOCATION AND ROUTING. VERIFY AND COORDINATE ALL REQUIREMENTS WITH UTILITY CO.
- PROVIDE SEPARATE 2" TELEPHONE AND CABLE (HIGH SPEED INCLUDED) CONDUITS TO CONNECTION ON SITE . REFER TO CIVIL SHEETS FOR LOCATION AND ROUTING. VERIFY AND COORDINATE ALL REQUIREMENTS WITH UTILITY CO.
- 7 SPEAKER POST AND CANOPY. REFER TO CONDUIT SCHEDULE FOR CONDUIT SIZE AND QUANTITY.